ILFORD PHOTO

HARMAN technology Ltd

SAFETY DATA SHEET

2000RT Machine Paper Developer

According to WHMIS 2015, in compliance with the Hazardous Product Act (HPA, as amended) and the requirements of the Hazardous Product Regulations (HPR)

1. Identification

Product identifier

Product name 2000RT Machine Paper Developer

Product number 1758056

Internal identification 10004

Container size 5 Litre

Recommended use of the chemical and restrictions on use

Restriction on use Photographic Developer Solution

Details of the supplier of the safety data sheet

Supplier Distributor

Amplis Foto Inc, 22 Telson Road, Markham, Ontario L3R 1E5

Tel: 905 477 4111 Fax: 905 477 2502

Contact person Contact Distributor: christine@amplis.com, http://www.amplis.com

Emergency telephone number

Emergency telephone Canada/USA: For medical emergency, call 1 800 842 9660 (Product Misuse).

2. Hazard identification

Classification of the substance or mixture

Physical hazards Not Classified

Health hazards Eye Irrit. 2A - H319 Skin Sens. 1 - H317 Muta. 2 - H341 Carc. 2 - H351 Repr. 2 - H361fd

STOT RE 2 - H373

Environmental hazards Aquatic Acute 1 - H400

Label elements

Hazard pictograms







Signal word

Warning

2000RT Machine Paper Developer

Hazard statements H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H341 Suspected of causing genetic defects.

H351 Suspected of causing cancer.

H361fd Suspected of damaging fertility. Suspected of damaging the unborn child. H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

Precautionary statements P273 Avoid release to the environment.

P280 Wear protective clothing, gloves, eye and face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P405 Store locked up.

P501 Dispose of contents/ container in accordance with local regulations.

Contains HYDROQUINONE, pentasodium (carboxylatomethyl)iminobis(ethylenenitrilo)tetraacetate, 1-

Phenyl-4-methyl-4-hydroxymethyl-3-pyrazolidone

Other hazards

No information available.

3. Composition/information on ingredients

Mixtures

Sodium Sulfite 10-30%

CAS number: 7757-83-7

Classification
Not Classified

Potassium Carbonate 5-10%

CAS number: 584-08-7

Classification

Skin Irrit. 2 - H315 Eye Irrit. 2 - H319

STOT SE 3 - H335

HYDROQUINONE < 3%

CAS number: 123-31-9
M factor (acute) = 10

Classification

Acute Tox. 4 - H302

Eye Dam. 1 - H318

Skin Sens. 1 - H317 Muta. 2 - H341

Carc. 2 - H351

Aquatic Acute 1 - H400

2000RT Machine Paper Developer

pentasodium 1-5%

(car boxylatomethyl) iminobis (ethylenenitrilo) tetra acetate

CAS number: 140-01-2

Classification

Acute Tox. 4 - H332 Repr. 2 - H361fd STOT RE 2 - H373

SODIUM HYDROXIDE <1%

CAS number: 1310-73-2

Classification

Skin Corr. 1A - H314 Eye Dam. 1 - H318

1-Phenyl-4-methyl-4-hydroxymethyl-3-pyrazolidone

<1%

CAS number: 13047-13-7

Classification

Acute Tox. 4 - H302 Skin Sens. 1 - H317 Aquatic Chronic 2 - H411

The full text for all hazard statements is displayed in Section 16.

4. First-aid measures

Description of first aid measures

Inhalation Move affected person to fresh air at once. Get medical attention if any discomfort continues.

Ingestion Rinse mouth thoroughly with water. Get medical attention if any discomfort continues.

Skin contact Remove affected person from source of contamination. Remove contaminated clothing. Wash

skin thoroughly with soap and water. Get medical attention if irritation persists after washing.

Eye contact Remove affected person from source of contamination. Remove any contact lenses and open

eyelids wide apart. Continue to rinse for at least 15 minutes. Continue to rinse for at least 15

minutes. Get medical attention if irritation persists after washing.

Most important symptoms and effects, both acute and delayed

Inhalation No specific symptoms known.

Ingestion No specific symptoms known.

Skin contact May cause sensitization by skin contact.

Eye contact Irritation of eyes and mucous membranes.

Indication of any immediate medical attention and special treatment needed

Notes for the doctor No specific recommendations.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media The product is non-combustible. Use extinguishing media appropriate for surrounding fire.

2000RT Machine Paper Developer

Specific hazards arising from the hazardous product

Specific hazards The product is non-combustible. No unusual fire or explosion hazards noted.

Hazardous combustion

products

Thermal decomposition or combustion products may include the following substances: Oxides

of: Carbon. Sulfur. Nitrogen. Sodium. Potassium.

Advice for firefighters

Protective actions during

firefighting

Avoid breathing fire gases or vapours.

Special protective equipment

for firefighters

Use protective equipment appropriate for surrounding materials. Selection of respiratory protection for fire fighting: follow the general fire precautions indicated in the workplace.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin and eyes. Provide adequate ventilation. For personal protection, see

Section 8.

Environmental precautions

Environmental precautions Do not discharge into drains or watercourses or onto the ground. Collect and dispose of

spillage as indicated in Section 13.

Methods and material for containment and cleaning up

Methods for cleaning upWear protective clothing, gloves, eye and face protection. Small Spillages: Flush away

spillage with plenty of water. Large Spillages: Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or

runoff entering drains, sewers or watercourses.

Reference to other sections

Reference to other sections For personal protection, see Section 8. For waste disposal, see Section 13.

7. Handling and storage

Precautions for safe handling

Usage precautions Provide adequate ventilation. Avoid spilling. Avoid contact with skin and eyes. Do not eat,

drink or smoke when using this product. Read and follow manufacturer's recommendations.

Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container. Storage advice to ensure the product remains in a

useable condition throughout its specified shelf life: Store at temperatures above 0°C. Store at

temperatures not exceeding 30°C.

Storage class Chemical storage.

Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.

8. Exposure controls/Personal protection

Control parameters

Occupational exposure limits

HYDROQUINONE

Long-term exposure limit (8-hour TWA): ACGIH 1 mg/m³

A3, DSens

SODIUM HYDROXIDE

Ceiling exposure limit: ACGIH 2 mg/m³

ACGIH = American Conference of Governmental Industrial Hygienists. A3 = Confirmed Animal Carcinogen with Unknown Relevance to Humans. DSens = Dermal sensitizer.

Exposure controls

Protective equipment







Appropriate engineering

controls

Provide adequate ventilation. This product must not be handled in a confined space without

adequate ventilation.

Eyewface protection Eyewear complying with an approved standard should be worn if a risk assessment indicates

eye contact is possible.

Hand protection Use protective gloves.

Other skin and body

protection

Wear suitable protective clothing as protection against splashing or contamination.

Respiratory protection If ventilation is inadequate, suitable respiratory protection must be worn.

9. Physical and chemical properties

Information on basic physical and chemical properties

Appearance Clear liquid.

Colour Colourless to pale yellow.

Odour No characteristic odour.

pH (concentrated solution): 10.5 pH (diluted solution): 10.4 (1+4)

Initial boiling point and range >100°C @ 760 mm Hg

Relative density 1.22 @ 20°C

Soluble in water.

Other information Not available.

10. Stability and reactivity

Reactivity See the other subsections of this section for further details.

Stability Stable under the prescribed storage conditions. No particular stability concerns.

Possibility of hazardous

reactions

Under normal conditions of storage and use, no hazardous reactions will occur.

Conditions to avoid Avoid excessive heat for prolonged periods of time. Avoid contact with acids.

Materials to avoid Strong acids. Avoid contact with other photographic solutions and/or cleaning compounds.

Hazardous decomposition

products

Thermal decomposition or combustion products may include the following substances: Oxides

of: Carbon. Sulfur. Nitrogen. Potassium. Sodium.

11. Toxicological information

2000RT Machine Paper Developer

Information on toxicological effects

Toxicological effects This chemical formulation has not been tested for health effects. Exposure effects listed are

based on existing health data for the individual components that comprise the mixture.

Acute toxicity - oral

ATE oral (mg/kg) 13,082.16

Acute toxicity - inhalation

ATE inhalation (gases ppmV) 314,333.61

ATE inhalation (vapours mg/l) 768.37

ATE inhalation (dusts/mists

mg/l)

104.78

Germ cell mutagenicity

Genotoxicity - in vitroThe product contains a substance that is classified as: Suspected of causing genetic defects.

Carcinogenicity

development

Carcinogenicity The product contains a substance that is classified as: Suspected of causing cancer.

Reproductive toxicity

Reproductive toxicity -

The product contains a substance that is classified as: Suspected of damaging fertility or the

unborn child.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure The product contains a substance that is classified as: May cause damage to organs through

prolonged or repeated exposure if inhaled.

Inhalation May cause respiratory system irritation.

Ingestion May cause discomfort if swallowed.

Skin contact Irritating to skin. May cause sensitization by skin contact. May cause allergic contact eczema.

Eye contact Irritation of eyes and mucous membranes. Repeated exposure may cause chronic eye

irritation.

Acute and chronic health

hazards

Prolonged or repeated exposure may cause severe irritation. May cause skin

irritation/eczema. May cause sensitization by skin contact. Irritating to eyes. Vapour or spray in the eyes may cause irritation and smarting. May cause allergy. May cause hypersensitivity.

Route of exposure Ingestion. Skin and/or eye contact

Medical considerations May aggravate existing: Skin disorders and allergies. Pre-existing eye problems.

Toxicological information on ingredients

HYDROQUINONE

Acute toxicity - oral

Acute toxicity oral (LD50

mg/kg)

375.0

Species Rat

ATE oral (mg/kg) 375.0

Carcinogenicity

IARC Group 3 Not classifiable as to its carcinogenicity to humans.

2000RT Machine Paper Developer

pentasodium (carboxylatomethyl)iminobis(ethylenenitrilo)tetraacetate

Acute toxicity - inhalation

ATE inhalation (gases

ppmV)

4,500.0

ATE inhalation (vapours

mg/l)

11.0

1.5

ATE inhalation

(dusts/mists mg/l)

1-Phenyl-4-methyl-4-hydroxymethyl-3-pyrazolidone

Acute toxicity - oral

Acute toxicity oral (LD50

mg/kg)

566.0

Species

ATE oral (mg/kg)

Rat 566.0

12. Ecological information

Toxicity The product contains a substance which is very toxic to aquatic organisms.

Ecological information on ingredients

HYDROQUINONE

Acute aquatic toxicity

 LC_{50}/EC_{50} 0.01 < $L(E)C50 \le 0.1$

M factor (acute) 10

Acute toxicity - fish LC₅₀, 96 hours: 0.10-0.18 (Fathead Minnow) mg/l, Fish

Acute toxicity - aquatic

invertebrates

EC₅₀, 48 hours: 0.05 mg/l, Daphnia magna

Acute toxicity - aquatic

plants

IC₅o, 72 hours: 1.0 mg/l, Algae

pentasodium (carboxylatomethyl)iminobis(ethylenenitrilo)tetraacetate

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 96 hours: >1000 (lepomis macrochirus) mg/l, Fish

Acute toxicity - aquatic

invertebrates

EC₅o, 48 hours: >500 (daphnia magna) mg/l, Daphnia magna

1-Phenyl-4-methyl-4-hydroxymethyl-3-pyrazolidone

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 96 hours: 32 (Rainbow Trout) mg/l, Fish

Acute toxicity - aquatic

invertebrates

EC₅₀, 48 hours: 1.7 mg/l, Daphnia magna

Persistence and degradability

Persistence and degradability There are no data on the degradability of this product.

Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

Mobility in soil

Mobility The product is soluble in water.

Other adverse effects

Other adverse effects None known.

13. Disposal considerations

Waste treatment methods

Disposal methods Used, diluted, and spent solutions may be allowed to be discharged to sanitary sewer by

permit IF allowed by local regulations. Consult your local authority for advice. Waste may have to be pre-treated before discharge. Consult local authorities before discharging any waste to sewer. Do not discharge to septic system. Waste that cannot be discharged to sewer

may have to handled by a licensed hazardous waste contractor.

14. Transport information

General A marine pollutant exception applies to this product, so that no labeling or placarding is

required for transportation by land in Canada under SOR / 2008-34. Other marine pollutant exceptions also apply, so it is not required to be labeled or transported as hazardous goods in

the United States or abroad. See 49CFR 171.4 (c), IATA SP A197 and IMDG 2.10.2.7.

UN number

UN No. (TDG) 3082

UN No. (IMDG) 3082

UN No. (ICAO) 3082

UN No. (DOT) UN3082

UN proper shipping name

Proper shipping name (TDG) UN3082, Environmentally hazardous substance, liquid, n.o.s. (contains hydroquinone).

Proper shipping name (IMDG) UN3082, Environmentally hazardous substance, liquid, n.o.s. (contains hydroquinone).

Proper shipping name (ICAO) UN3082, Environmentally hazardous substance, liquid, n.o.s. (contains hydroquinone).

Proper shipping name (DOT) ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S. (CONTAINS

HYDROQUINONE, 1-Phenyl-4-methyl-4-hydroxymethyl-3-pyrazolidone)

Transport hazard class(es)

DOT class 9

DOT hazard label 9

TDG class 9 (M6)

TDG label(s) 9

IMDG class 9

ICAO class/division 9

Transport labels



DOT transport label



Packing group

TDG packing group

IMDG packing group III

ICAO packing group

DOT packing group

Environmental hazards

Environmentally hazardous substance/marine pollutant



Special precautions for user

EmS F-A, S-F

DOT reportable quantity RQ: Sodium hydroxide (259807.7423 lbs), RQ: Hydroquinone (3488.5749 lbs)

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

15. Regulatory information

Inventories

Canada - DSL/NDSL

Water

Sodium Sulfite

Potassium Carbonate

HYDROQUINONE

pentasodium (carboxylatomethyl)iminobis(ethylenenitrilo)tetraacetate

Sodium Bromide

SODIUM HYDROXIDE

- 1-Phenyl-4-methyl-4-hydroxymethyl-3-pyrazolidone
- 3,3'-dithiobis(3-phenylpropionic) acid
- 4-Sulphophenyl Thiosemicarbazide (K Salt)

16. Other information

General information

HARMAN technology Ltd believe the information and recommendations contained herein are based on correct and factual data. However, no express or implied guarantee or warranty of any kind is made with respect to this information. Use this information only to supplement other information you have gathered and then make an independent determination about the completeness and suitability of all information to ensure the proper use and disposal of this product and the health and safety of employees and customers.

Key literature references and sources for data

Material Safety Data Sheet, Misc. manufacturers. European Photographic Chemical Industry Code of Practice For Classification And Labelling Dangerous Properties of Industrial

Chemicals, 6.edition, N.Sax, 1984.

Issued by HS&E Advisor Dr Trevor Rhodes Tel: +44(0)1565 650000, email:

trevor.rhodes@harmantechnology.com

Revision date 2017-09-12

Revision 2

Supersedes date 14/05/2015

Hazard statements in full H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation. H341 Suspected of causing genetic defects.

H351 Suspected of causing cancer.

H361fd Suspected of damaging fertility. Suspected of damaging the unborn child. H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.