ILFORD PHOTO

HARMAN technology Ltd

SAFETY DATA SHEET

2150XL Developer

According to WHMIS 2015, in compliance with the Hazardous Product Act (HPA, as amended) and the requirements of the Hazardous Product Regulations (HPR)

1. Identification	
Product identifier	
Product name	2150XL Developer
Product number	1992182
Internal identification	10118
Container size	3 Litre
Recommended use of the che	emical and restrictions on use
Restriction on use	Photographic Developer Solution
Details of the supplier of the s	afety data sheet
Supplier	Distributor Amplis Foto Inc, 22 Telson Road, Markham, Ontario L3R 1E5 Tel: 905 477 4111 Fax: 905 477 2502
Contact person	Contact Distributor: christine@amplis.com, http://www.amplis.com
Emergency telephone numbe	<u>r</u>
Emergency telephone	Canada/USA: For medical emergency, call 1 800 842 9660 (Product Misuse).
2. Hazard identification	
Classification of the substance	e or mixture
Physical hazards	Not Classified
Health hazards	Eye Dam. 1 - H318 Skin Sens. 1 - H317 Muta. 2 - H341 Carc. 2 - H351 Repr. 2 - H361fd STOT RE 2 - H373
Environmental hazards	Aquatic Acute 1 - H400
Label elements	
Hazard pictograms	
Signal word	Danger

10-30%

5-10%

1-5%

2150XL Developer

Hazard statements	H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H341 Suspected of causing genetic defects.
	H351 Suspected of causing cancer. H361fd Suspected of damaging fertility. Suspected of damaging the unborn child. H373 May cause damage to organs through prolonged or repeated exposure.
	H400 Very toxic to aquatic life.
Precautionary statements	 P273 Avoid release to the environment. P302+P352 IF ON SKIN: Wash with plenty of water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P405 Store locked up. P280 Wear protective clothing, gloves, eye and face protection. P501 Dispose of contents/ container in accordance with local regulations.
Contains	HYDROQUINONE, pentasodium (carboxylatomethyl)iminobis(ethylenenitrilo)tetraacetate, 1- Phenyl-4-methyl-4-hydroxymethyl-3-pyrazolidone

Other hazards

No information available.

3. Composition/information on ingredients

Mixtures

Sodium Sulfite

CAS number: 7757-83-7

Classification

Not Classified

Potassium Carbonate

CAS number: 584-08-7

Classification

Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 STOT SE 3 - H335

HYDROQUINONE

CAS number: 123-31-9

M factor (acute) = 10

Classification

Acute Tox. 4 - H302 Eye Dam. 1 - H318 Skin Sens. 1 - H317 Muta. 2 - H341 Carc. 2 - H351 Aquatic Acute 1 - H400

pentasodium

(carboxylatomethyl)iminobis(ethylenenitrilo)tetraacetate

CAS number: 140-01-2

Classification

Acute Tox. 4 - H332 Repr. 2 - H361fd STOT RE 2 - H373

SODIUM HYDROXIDE

CAS number: 1310-73-2

Classification

Skin Corr. 1A - H314 Eye Dam. 1 - H318

1-Phenyl-4-methyl-4-hydroxymethyl-3-pyrazolidone

CAS number: 13047-13-7

Classification

Acute Tox. 4 - H302 Skin Sens. 1 - H317 Aquatic Chronic 2 - H411

The full text for all hazard statements is displayed in Section 16.

4. First-aid measures

Description of first aid measures			
Inhalation	Move affected person to fresh air at once. Get medical attention if any discomfort continues.		
Ingestion	Rinse mouth thoroughly with water. Get medical attention if any discomfort continues.		
Skin contact	Remove affected person from source of contamination. Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention if irritation persists after washing.		
Eye contact	Remove affected person from source of contamination. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Continue to rinse for at least 15 minutes. Get medical attention if irritation persists after washing.		
Most important symptoms a	Most important symptoms and effects, both acute and delayed		
Inhalation	No specific symptoms known.		
Ingestion	No specific symptoms known.		
Skin contact	May cause sensitization by skin contact.		
Eye contact	Irritation of eyes and mucous membranes. May cause serious eye damage.		
Indication of any immediate medical attention and special treatment needed			
Notes for the doctor	No specific recommendations.		
5. Fire-fighting measures			

Extinguishing media

Suitable extinguishing media The product is non-combustible. Use extinguishing media appropriate for surrounding fire.

<0.5%

1-5%

<1%

Specific hazards arising from t	the hazardous product
Specific hazards	The product is non-combustible. No unusual fire or explosion hazards noted.
Hazardous combustion products	Thermal decomposition or combustion products may include the following substances: Oxides of: Carbon. Sulfur. Nitrogen. Sodium. Potassium.
Advice for firefighters	
Protective actions during firefighting	Avoid breathing fire gases or vapours.
Special protective equipment for firefighters	Use protective equipment appropriate for surrounding materials. Selection of respiratory protection for fire fighting: follow the general fire precautions indicated in the workplace.
6. Accidental release measure	PS
Personal precautions, protection	ve equipment and emergency procedures
Personal precautions	Avoid contact with skin and eyes. Provide adequate ventilation. For personal protection, see Section 8.
Environmental precautions	
Environmental precautions	Do not discharge into drains or watercourses or onto the ground. Collect and dispose of spillage as indicated in Section 13.
Methods and material for conta	ainment and cleaning up
Methods for cleaning up	Wear protective clothing, gloves, eye and face protection. Small Spillages: Flush away spillage with plenty of water. Large Spillages: Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses.
Reference to other sections	
Reference to other sections	For personal protection, see Section 8. For waste disposal, see Section 13.
7. Handling and storage	
Precautions for safe handling	
Usage precautions	Provide adequate ventilation. Avoid spilling. Avoid contact with skin and eyes. Do not eat, drink or smoke when using this product. Read and follow manufacturer's recommendations.
Conditions for safe storage, in	cluding any incompatibilities
Storage precautions	Store in tightly-closed, original container. Storage advice to ensure the product remains in a useable condition throughout its specified shelf life: Store at temperatures above 0°C. Store at temperatures not exceeding 30°C.
Storage class	Chemical storage.
Specific end use(s)	
Specific end use(s)	The identified uses for this product are detailed in Section 1.
8. Exposure controls/Personal protection	
Control parameters Occupational exposure limits HYDROQUINONE Long-term exposure limit (8-hd A3, DSens SODIUM HYDROXIDE	bur TWA): ACGIH 1 mg/m³

Ceiling exposure limit: ACGIH 2 mg/m³ ACGIH = American Conference of Governmental Industrial Hygienists. A3 = Confirmed Animal Carcinogen with Unknown Relevance to Humans. DSens = Dermal sensitizer.

Exposure controls

Protective equipment

T



Appropriate engineering controls	Provide adequate ventilation. This product must not be handled in a confined space without adequate ventilation.
Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible.
Hand protection	Use protective gloves.
Other skin and body protection	Wear suitable protective clothing as protection against splashing or contamination.
Respiratory protection	If ventilation is inadequate, suitable respiratory protection must be worn.

9. Physical and chemical properties

Information on basic physical	and chemical properties
Appearance	Clear liquid.
Colour	Colourless to pale yellow.
Odour	No characteristic odour.
рН	pH (concentrated solution): 10.55
Initial boiling point and range	>100°C @ 760 mm Hg
Relative density	1.235 @ 20°C
Solubility(ies)	100% Soluble in water.
Other information	Not available.
10. Stability and reactivity	
Reactivity	See the other subsections of this section for further details.
Stability	Stable under the prescribed storage conditions. No particular stability concerns.
Possibility of hazardous reactions	Under normal conditions of storage and use, no hazardous reactions will occur.
Conditions to avoid	Avoid excessive heat for prolonged periods of time. Avoid contact with acids.
Materials to avoid	Strong acids. Avoid contact with other photographic solutions and/or cleaning compounds.
Hazardous decomposition products	Thermal decomposition or combustion products may include the following substances: Oxides of: Carbon. Sulfur. Nitrogen. Potassium. Sodium.
11. Toxicological information	

Information on toxicological effects

Toxicological effects	This chemical formulation has not been tested for health effects. Exposure effects listed are based on existing health data for the individual components that comprise the mixture.
Acute toxicity - oral ATE oral (mg/kg)	12,216.97
Acute toxicity - inhalation ATE inhalation (gases ppmV)	296,970.9
ATE inhalation (vapours mg/l)	725.93
ATE inhalation (dusts/mists mg/l)	98.99
Germ cell mutagenicity Genotoxicity - in vitro	The product contains a substance that is classified as: Suspected of causing genetic defects.
Carcinogenicity Carcinogenicity	The product contains a substance that is classified as: Suspected of causing cancer.
Reproductive toxicity Reproductive toxicity - development	The product contains a substance that is classified as: Suspected of damaging fertility or the unborn child.
Specific target organ toxicity -	repeated exposure
STOT - repeated exposure	The product contains a substance that is classified as: May cause damage to organs through prolonged or repeated exposure if inhaled.
Inhalation	May cause respiratory system irritation.
Ingestion	May cause discomfort if swallowed.
Skin contact	Irritating to skin. May cause sensitization by skin contact. May cause allergic contact eczema.
Eye contact	Irritation of eyes and mucous membranes. Repeated exposure may cause chronic eye irritation. May cause serious eye damage.
Acute and chronic health hazards	Prolonged or repeated exposure may cause severe irritation. May cause skin irritation/eczema. May cause sensitization by skin contact. Irritating to eyes. Vapour or spray in the eyes may cause irritation and smarting. May cause allergy. May cause hypersensitivity.
Route of exposure	Skin and/or eye contact Ingestion.
Medical considerations	May aggravate existing: Skin disorders and allergies. Pre-existing eye problems.
Toxicological information on ingredients	

HYDROQUINONE

Acute toxicity - oral	
Acute toxicity oral (LD₅₀ mg/kg)	375.0
Species	Rat
ATE oral (mg/kg)	375.0
Carcinogenicity	
IARC carcinogenicity	IARC Group 3 Not classifiable as to its carcinogenicity to humans.

pentasodium (carboxylatomethyl)iminobis(ethylenenitrilo)tetraacetate

Acute toxicity - inhalation	
ATE inhalation (gases ppmV)	4,500.0
ATE inhalation (vapours mg/l)	11.0
ATE inhalation (dusts/mists mg/l)	1.5
	1-Phenyl-4-methyl-4-hydroxymethyl-3-pyrazolidone
Acute toxicity - oral	
Acute toxicity oral (LD₅₀ mg/kg)	566.0
Species	Rat
ATE oral (mg/kg)	566.0
12. Ecological information	

Toxicity

The product contains a substance which is very toxic to aquatic organisms.

Ecological information on ingredients

HYDROQUINONE

Acute aquatic toxicity	
LC50/EC50	0.01 < L(E)C50 ≤ 0.1
M factor (acute)	10
Acute toxicity - fish	LC₅₀, 96 hours: 0.10-0.18 (Fathead Minnow) mg/l, Fish
Acute toxicity - aquatic invertebrates	EC₅₀, 48 hours: 0.05 mg/l, Daphnia magna
Acute toxicity - aquatic plants	IC₅₀, 72 hours: 1.0 mg/l, Algae

pentasodium (carboxylatomethyl)iminobis(ethylenenitrilo)tetraacetate

Acute aquatic toxicity	
Acute toxicity - fish	LC₅₀, 96 hours: >1000 (lepomis macrochirus) mg/l, Fish
Acute toxicity - aquatic invertebrates	EC₅₀, 48 hours: >500 (daphnia magna) mg/l, Daphnia magna
	1-Phenyl-4-methyl-4-hydroxymethyl-3-pyrazolidone
Acute aquatic toxicity	
Acute toxicity - fish	LC₅₀, 96 hours: 32 (Rainbow Trout) mg/l, Fish

Acute toxicity - aquatic EC₅₀, 48 hours: 1.7 mg/l, Daphnia magna invertebrates

Persistence and degradability

Persistence and degradability	There are no data on the degradability of this product.
Bioaccumulative potential	
Bioaccumulative potential	No data available on bioaccumulation.
Mobility in soil	
Mobility	The product is soluble in water.
Other adverse effects	
Other adverse effects	None known.
13. Disposal considerations	
Waste treatment methods	
Disposal methods	Used, diluted, and spent solutions may be allowed to be discharged to sanitary sewer by permit IF allowed by local regulations. Consult your local authority for advice. Waste may have to be pre-treated before discharge. Consult local authorities before discharging any waste to sewer. Do not discharge to septic system. Waste that cannot be discharged to sewer may have to handled by a licensed hazardous waste contractor.
14. Transport information	
General	A marine pollutant exception applies to this product, so that no labeling or placarding is required for transportation by land in Canada under SOR / 2008-34. Other marine pollutant exceptions also apply, so it is not required to be labeled or transported as hazardous goods in the United States or abroad. See 49CFR 171.4 (c), IATA SP A197 and IMDG 2.10.2.7.
UN number	
UN No. (TDG)	3082
UN No. (IMDG)	3082
UN No. (ICAO)	3082
UN No. (DOT)	UN3082
UN proper shipping name	
Proper shipping name (TDG)	UN3082, Environmentally hazardous substance, liquid, n.o.s. (contains hydroquinone).
Proper shipping name (IMDG)	UN3082, Environmentally hazardous substance, liquid, n.o.s. (contains hydroquinone).
Proper shipping name (ICAO)	UN3082, Environmentally hazardous substance, liquid, n.o.s. (contains hydroquinone).
Proper shipping name (DOT)	ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S. (CONTAINS HYDROQUINONE, 1-Phenyl-4-methyl-4-hydroxymethyl-3-pyrazolidone)
Transport hazard class(es)	
DOT class	9
DOT hazard label	9
TDG class	9 (M6)
TDG label(s)	9
IMDG class	9
ICAO class/division	9

Transport labels

᠕ᡅ

DOT transport label



Packing group	
TDG packing group	Ш
IMDG packing group	Ш
ICAO packing group	Ш
DOT packing group	111
DOT packing group	III

Environmental hazards

Environmentally hazardous substance/marine pollutant



Special	precautions	for user
---------	-------------	----------

EmS	F-A, S-F
DOT reportable quantity	RQ: Sodium hydroxide (217013.8889 lbs), RQ: Hydroquinone (3257.8596 lbs)

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information

Inventories
Canada – DSL/NDSL
Water
Sodium Sulfite
Potassium Carbonate
HYDROQUINONE
pentasodium (carboxylatomethyl)iminobis(ethylenenitrilo)tetraacetate
Sodium Bromide
SODIUM HYDROXIDE
1-Phenyl-4-methyl-4-hydroxymethyl-3-pyrazolidone
3,3'-dithiobis(3-phenylpropionic) acid
4-Sulphophenyl Thiosemicarbazide (K Salt)
16. Other information

General information	HARMAN technology Ltd believe the information and recommendations contained herein are based on correct and factual data. However, no express or implied guarantee or warranty of any kind is made with respect to this information. Use this information only to supplement other information you have gathered and then make an independent determination about the completeness and suitability of all information to ensure the proper use and disposal of this product and the health and safety of employees and customers.
Key literature references and sources for data	European Photographic Chemical Industry Code of Practice For Classification And Labelling Material Safety Data Sheet, Misc. manufacturers. Dangerous Properties of Industrial Chemicals, 6.edition, N.Sax, 1984.
Issued by	HS&E Advisor Dr Trevor Rhodes Tel: +44(0)1565 650000, email: trevor.rhodes@harmantechnology.com
Revision date	2017-11-02
Revision	2
Supersedes date	14/05/2015
Hazard statements in full	 H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H332 Harmful if inhaled. H335 May cause respiratory irritation. H341 Suspected of causing genetic defects. H351 Suspected of causing cancer. H361fd Suspected of damaging fertility. Suspected of damaging the unborn child. H373 May cause damage to organs through prolonged or repeated exposure. H400 Very toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects.