ILFORD PHOTO

HARMAN technology Ltd

SAFETY DATA SHEET

Ilfotec HC Film Developer

According to WHMIS 2015, in compliance with the Hazardous Product Act (HPA, as amended) and the requirements of the Hazardous Product Regulations (HPR)

1. Identification		
Product identifier		
Product name	Ilfotec HC Film Developer	
Product number	1155064	
Internal identification	10019	
Container size	1 Litre	
Recommended use of the ch	emical and restrictions on use	
Restriction on use	Photographic Developer Solution	
Details of the supplier of the s	safety data sheet	
Supplier	Distributor Amplis Foto Inc, 22 Telson Road, Markham, Ontario L3R 1E5 Tel: 905 477 4111 Fax: 905 477 2502	
Contact person	Contact Distributor: christine@amplis.com, http://www.amplis.com	
Emergency telephone number	er en	
Emergency telephone	Canada/USA: For medical emergency, call 1 800 842 9660 (Product Misuse).	
2. Hazard identification		
Classification of the substance	e or mixture	
Physical hazards	Not Classified	
Health hazards	Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Skin Sens. 1 - H317 Muta. 2 - H341 Carc. 2 - H351 Repr. 2 - H361d STOT RE 2 - H373	
Environmental hazards	Aquatic Acute 1 - H400 Aquatic Chronic 3 - H412	
Label elements		
Hazard pictograms		
Signal word	Danger	

Hazard statements	 H302 Harmful if swallowed. H315 Causes skin irritation. H318 Causes serious eye damage. H317 May cause an allergic skin reaction. H341 Suspected of causing genetic defects. H351 Suspected of causing cancer. H361d Suspected of damaging the unborn child. H373 May cause damage to organs through prolonged or repeated exposure. H400 Very toxic to aquatic life. H412 Harmful to aquatic life with long lasting effects.
Precautionary statements	 P101 If medical advice is needed, have product container or label at hand. P273 Avoid release to the environment. P280 Wear protective clothing, gloves, eye and face protection. P301+P312 IF SWALLOWED: Call a POISON CENTRE/doctor if you feel unwell. P302+P352 IF ON SKIN: Wash with plenty of water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P405 Store locked up. P501 Dispose of contents/ container in accordance with local regulations.
Contains	DIETHANOLAMINE, 2,2'-OXYBISETHANOL, HYDROQUINONE, N- carboxymethyliminobis(ethylenenitrilo)tetra(acetic acid)

Other hazards

No information available.

3. Composition/information on ingredients

Mixtures

DIETHANOLAMINE	10-30%
CAS number: 111-42-2	
Classification	
Acute Tox. 4 - H302	
Skin Irrit. 2 - H315	
Eye Dam. 1 - H318	
STOT RE 2 - H373	
Aquatic Chronic 3 - H412	
2,2'-OXYBISETHANOL	10-30%
CAS number: 111-46-6	
Classification	
Acute Tox. 4 - H302	

HYDROQUINONE	5-10%
CAS number: 123-31-9	
M factor (acute) = 10	
Classification	
Acute Tox. 4 - H302	
Eye Dam. 1 - H318	
Skin Sens. 1 - H317	
Muta. 2 - H341	
Carc. 2 - H351	
Aquatic Acute 1 - H400	
N-carboxymethyliminobis(ethylenenitrilo)tetra(acetic acid)	1-5%
CAS number: 67-43-6	
Classification	
Acute Tox. 4 - H332	
Eye Irrit. 2 - H319	
Repr. 2 - H361d	
1-Phenyl-4-methyl-3-pyrazolidone	< 1%
CAS number: 2654-57-1	
Classification	
Acute Tox. 4 - H302	
Skin Sens. 1 - H317	
Aquatic Chronic 2 - H411	
pentasodium	<1%
(carboxylatomethyl)iminobis(ethylenenitrilo)tetraacetate	
CAS number: 140-01-2	
Classification	
Acute Tox. 4 - H332	
Repr. 2 - H361fd	
STOT RE 2 - H373	
The full text for all hazard statements is displayed in Section 16.	
4. First-aid measures	
Description of first aid measures	
Inhalation Move affected person to fresh air at once. Get medical a	attention if any discomfort continues

Inhalation	Move affected person to fresh air at once. Get medical attention if any discomfort continues.
Ingestion	Rinse mouth thoroughly with water. Get medical attention if any discomfort continues.
Skin contact	Remove affected person from source of contamination. Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention if irritation persists after washing.
Eye contact	Remove affected person from source of contamination. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if irritation persists after washing.

Most important symptoms and	effects, both acute and delayed	
Inhalation	No specific symptoms known.	
Ingestion	No specific symptoms known.	
Skin contact	May cause sensitisation by skin contact.	
Eye contact	Irritation of eyes and mucous membranes. May cause serious eye damage.	
Indication of any immediate medical attention and special treatment needed		
Notes for the doctor	No specific recommendations.	
5. Fire-fighting measures		
Extinguishing media		
Suitable extinguishing media	Use fire-extinguishing media suitable for the surrounding fire.	
Specific hazards arising from t	he hazardous product	
Specific hazards	Toxic gases or vapours. No unusual fire or explosion hazards noted.	
Hazardous combustion products	Thermal decomposition or combustion products may include the following substances: Ammonia or amines. Oxides of sulfur. Oxides of carbon. Oxides of nitrogen.	
Advice for firefighters		
Protective actions during firefighting	Avoid breathing fire gases or vapours.	
Special protective equipment for firefighters	Use protective equipment appropriate for surrounding materials. Selection of respiratory protection for fire fighting: follow the general fire precautions indicated in the workplace.	
6. Accidental release measures		
Personal precautions, protective equipment and emergency procedures		
Personal precautions	Avoid contact with skin and eyes. Provide adequate ventilation. For personal protection, see Section 8.	
Environmental precautions		
Environmental precautions	Do not discharge into drains or watercourses or onto the ground. Collect and dispose of spillage as indicated in Section 13.	
Methods and material for cont	ainment and cleaning up	
Methods for cleaning up	Wear protective clothing, gloves, eye and face protection. Small Spillages: Flush away spillage with plenty of water. Large Spillages: Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses.	
Reference to other sections		
Reference to other sections	For personal protection, see Section 8. For waste disposal, see Section 13.	
7. Handling and storage		
Precautions for safe handling		
Usage precautions	Provide adequate ventilation. Avoid spilling. Avoid contact with skin and eyes. Do not eat, drink or smoke when using this product. Read and follow manufacturer's recommendations.	
Conditions for safe storage, in	cluding any incompatibilities	

Conditions for safe storage, including any incompatibilities

Storage precautions	Store in tightly-closed, original container. Storage advice to ensure the product remains in a useable condition throughout its specified shelf life: Store at temperatures above 0°C. Store at temperatures not exceeding 30°C.
Storage class	Chemical storage.
Specific end use(s)	
Specific end use(s)	The identified uses for this product are detailed in Section 1.
8. Exposure controls/Personal protection	

Control parameters

Occupational exposure limits

DIETHANOLAMINE

Long-term exposure limit (8-hour TWA): ACGIH 0.2 ppm 1 mg/m³ inhalable fraction and vapor A3, Sk

HYDROQUINONE

Long-term exposure limit (8-hour TWA): ACGIH 1 mg/m³

A3, DSens

ACGIH = American Conference of Governmental Industrial Hygienists. A3 = Confirmed Animal Carcinogen with Unknown Relevance to Humans. Sk = Danger of cutaneous absorption. DSens = Dermal sensitizer.

Exposure controls

Protective equipment





Appropriate engineering controls	Provide adequate ventilation. This product must not be handled in a confined space without adequate ventilation.
Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible.
Hand protection	Use protective gloves.
Other skin and body protection	Wear suitable protective clothing as protection against splashing or contamination.
Respiratory protection	If ventilation is inadequate, suitable respiratory protection must be worn.

9. Physical and chemical properties

Information on basic physical and chemical properties

Appearance	Viscous liquid. Liquid.
Colour	Clear liquid. Colourless to pale yellow.
Odour	No characteristic odour.
рН	pH (concentrated solution): 9.4
Initial boiling point and range	>100°C @ 760 mm Hg
Relative density	1.217 @ 20°C
Solubility(ies)	100% Soluble in water.

Other information	Not available.	
10. Stability and reactivity		
Reactivity	The following materials may react with the product: Strong acids. Oxidizing agents.	
Stability	Stable under the prescribed storage conditions. No particular stability concerns.	
Possibility of hazardous reactions	Under normal conditions of storage and use, no hazardous reactions will occur.	
Conditions to avoid	Avoid excessive heat for prolonged periods of time. Avoid contact with acids.	
Materials to avoid	Strong acids. Avoid contact with other photographic solutions and/or cleaning compounds.	
Hazardous decomposition products	Thermal decomposition or combustion products may include the following substances: Ammonia or amines. Sulfurous gases (SOx). Oxides of carbon. Oxides of nitrogen.	
11. Toxicological information		
Information on toxicological eff	fects	
Toxicological effects	This chemical formulation has not been tested for health effects. Exposure effects listed are based on existing health data for the individual components that comprise the mixture.	
Acute toxicity - oral ATE oral (mg/kg)	1,994.93	
Acute toxicity - inhalation		
ATE inhalation (gases ppmV)	225,123.82	
ATE inhalation (vapours mg/l)	550.3	
ATE inhalation (dusts/mists mg/l)	75.04	
Germ cell mutagenicity Genotoxicity - in vitro	The product contains a substance that is classified as: Suspected of causing genetic defects.	
Carcinogenicity Carcinogenicity	The product contains a substance that is classified as: Suspected of causing cancer.	
Reproductive toxicity Reproductive toxicity - development	The product contains a substance that is classified as: Suspected of damaging the unborn child.	
Specific target organ toxicity -	repeated exposure	
STOT - repeated exposure	The product contains a substance that is classified as: May cause damage to organs through prolonged or repeated exposure.	
Inhalation	May cause respiratory system irritation.	
Ingestion	May cause discomfort if swallowed.	
Skin contact	Irritating to skin. May cause sensitization by skin contact. May cause allergic contact eczema.	
Eye contact	Irritation of eyes and mucous membranes. Repeated exposure may cause chronic eye irritation.	

Acute and chronic health hazards	Prolonged or repeated exposure may cause severe irritation. May cause skin irritation/eczema. May cause sensitization by skin contact. Irritating to eyes. Vapour or spray in the eyes may cause irritation and smarting. May cause allergy. May cause hypersensitivity.
Route of exposure	Skin and/or eye contact Ingestion.
Medical considerations	May aggravate existing: Skin disorders and allergies. Pre-existing eye problems.

Toxicological information on ingredients

DIETHANOLAMINE

4	Acute toxicity - oral	
	Acute toxicity oral (LD₅₀ mg/kg)	1,600.0
5	Species	Rat
ŀ	ATE oral (mg/kg)	1,600.0
<u>c</u>	Carcinogenicity	
L	ARC carcinogenicity	IARC Group 2B Possibly carcinogenic to humans.
		2,2'-OXYBISETHANOL
ŀ	Acute toxicity - oral	
	Acute toxicity oral (LD₅₀ mg/kg)	1,000.0
5	Species	Human
ŀ	ATE oral (mg/kg)	1,000.0
		HYDROQUINONE
ļ	Acute toxicity - oral	
	Acute toxicity oral (LD₅₀ mg/kg)	375.0
5	Species	Rat
ŀ	ATE oral (mg/kg)	375.0
<u>c</u>	Carcinogenicity	
L	ARC carcinogenicity	IARC Group 3 Not classifiable as to its carcinogenicity to humans.
		1-Phenyl-4-methyl-3-pyrazolidone
ļ	Acute toxicity - oral	
	Acute toxicity oral (LD₅₀ mg/kg)	627.0
5	Species	Rat
ŀ	ATE oral (mg/kg)	627.0
12. Ecological	l information	

Toxicity

The product contains a substance which is very toxic to aquatic organisms.

Ecological information on ingredients

DIETHANOLAMINE

	Acute aquatic toxic	city			
	Acute toxicity - fish		LC₅₀, 96 hours: >100 mg/L (Fathead Minnow) mg/l, Fish		
			2,2'-OXYBISETHANOL		
	Acute aquatic toxic	city			
	Acute toxicity - fish		LC₅₀, 96 hours: >100 mg/l, Fish		
	Acute toxicity - aquatic invertebrates		EC₅₀, 48 hours: 0.3 - 1 mg/l, Daphnia magna		
			HYDROQUINONE		
Acute aquatic toxicity		city			
	LC50/EC50		$0.01 \le L(E)C50 \le 0.1$		
	M factor (acute)		10		
	Acute toxicity - fish	ı	LC₅₀, 96 hours: 0.10-0.18 (Fathead Minnow) mg/l, Fish		
	Acute toxicity - aqu invertebrates	uatic	EC₅₀, 48 hours: 0.05 mg/l, Daphnia magna		
	Acute toxicity - aqu plants	uatic	IC₅₀, 72 hours: 1.0 mg/l, Algae		
Persistence	and degradability				
Persistence and degradability There are no data on the degradability of this product.					
Bioaccumulative potential					
Bioaccumu	lative potential	No data	available on bioaccumulation.		
Mobility in s					
Mobility		The proc	duct is soluble in water.		
Other adve					
Other adve		None kn	own.		
13. Disposal considerations					
	ment methods				
permit IF have to waste to		permit IF have to I waste to	luted, and spent solutions may be allowed to be discharged to sanitary sewer by allowed by local regulations. Consult your local authority for advice. Waste may be pre-treated before discharge. Consult local authorities before discharging any sewer. Do not discharge to septic system. Waste that cannot be discharged to sewer to handled by a licensed hazardous waste contractor.		
14. Transport information					
General		required exceptio	e pollutant exception applies to this product, so that no labeling or placarding is for transportation by land in Canada under SOR / 2008-34. Other marine pollutant ns also apply, so it is not required to be labeled or transported as hazardous goods in ed States or abroad. See 49CFR 171.4 (c), IATA SP A197 and IMDG 2.10.2.7.		
UN number					

UN No. (TDG)	3082
UN No. (IMDG)	3082
. ,	
UN No. (ICAO)	3082
UN No. (DOT)	UN3082
UN proper shipping name	
Proper shipping name (TDG)	UN3082, Environmentally hazardous substance, liquid, n.o.s. (contains hydroquinone).
Proper shipping name (IMDG)	UN3082, Environmentally hazardous substance, liquid, n.o.s. (contains hydroquinone).
Proper shipping name (ICAO)	UN3082, Environmentally hazardous substance, liquid, n.o.s. (contains hydroquinone).
Proper shipping name (DOT)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS HYDROQUINONE, 1-Phenyl-4-methyl-3-pyrazolidone)
Transport hazard class(es)	
DOT class	9
DOT hazard label	9
TDG class	9 (M6)
TDG label(s)	9
IMDG class	9
ICAO class/division	9
Transport labels	
DOT transport label	
Packing group	
TDG packing group	III
IMDG packing group	III
ICAO packing group	III

Environmental hazards

DOT packing group

Environmentally hazardous substance/marine pollutant

III



Special precautions for user

EmS

F-A, S-F

DOT reportable quantity

RQ: Diethanolamine (415.1996 lbs), RQ: Hydroquinone (1228.5465 lbs)

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information

Inventories

Canada - DSL/NDSL

pentasodium (carboxylatomethyl)iminobis(ethylenenitrilo)tetraacetate

2-(methylamino)ethanol, compound with sulphur dioxide

Sodium Sulfate

N-carboxymethyliminobis(ethylenenitrilo)tetra(acetic acid)

Sodium Bromide

DIETHANOLAMINE

Water

2,2'-OXYBISETHANOL

HYDROQUINONE

1-Phenyl-4-methyl-3-pyrazolidone

16. Other information

General information	HARMAN technology Ltd believe the information and recommendations contained herein are based on correct and factual data. However, no express or implied guarantee or warranty of any kind is made with respect to this information. Use this information only to supplement other information you have gathered and then make an independent determination about the completeness and suitability of all information to ensure the proper use and disposal of this product and the health and safety of employees and customers.
Key literature references and sources for data	European Photographic Chemical Industry Code of Practice For Classification And Labelling Material Safety Data Sheet, Misc. manufacturers. Dangerous Properties of Industrial Chemicals, 6.edition, N.Sax, 1984.
Issued by	HS&E Advisor Dr Trevor Rhodes Tel: +44(0)1565 650000, email: trevor.rhodes@harmantechnology.com
Revision date	2019-10-08
Revision	3
Supersedes date	2018-06-08

Hazard statements in full	H302 Harmful if swallowed.
	H315 Causes skin irritation.
	H317 May cause an allergic skin reaction.
	H318 Causes serious eye damage.
	H319 Causes serious eye irritation.
	H332 Harmful if inhaled.
	H341 Suspected of causing genetic defects.
	H351 Suspected of causing cancer.
	H361d Suspected of damaging the unborn child.
	H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.
	H373 May cause damage to organs through prolonged or repeated exposure.
	H400 Very toxic to aquatic life.
	H411 Toxic to aquatic life with long lasting effects.
	H412 Harmful to aquatic life with long lasting effects.