ILFORD PHOTO

HARMAN technology Ltd

SAFETY DATA SHEET Ilfotec LC29 Film Developer

According to Appendix D, OSHA Hazard Communication Standard 29 CFR §1910.1200

1. Identification

Product identifier

Product name Ilfotec LC29 Film Developer

Product number 1131811

Internal identification 10017

Container size 500ml

Recommended use of the chemical and restrictions on use

Application Developer Solution

Details of the supplier of the safety data sheet

Supplier Distributor

USA: Robert Distributors, 220 East Saint Clair St, Indianapolis, IN 46204

Tel:877-281-6405

Contact Person Contact Distributor: sales@robertsdistributors.com

Emergency telephone number

Emergency telephone USA/Canada: For medical emergency, call 1 800 842 9660 (Product Misuse).

2. Hazard(s) identification

Classification of the substance or mixture

Physical hazards Not Classified

Health hazards Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Skin Sens. 1 - H317 Muta. 2 - H341 Carc. 2 - H351

Repr. 2 - H361d STOT RE 2 - H373

Environmental hazards Aquatic Acute 1 - H400

Label elements

Hazard symbols









Signal word

Danger

Hazard statements H315 Causes skin irritation.

H318 Causes serious eye damage. H317 May cause an allergic skin reaction. H341 Suspected of causing genetic defects.

H351 Suspected of causing cancer.

H361d Suspected of damaging the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

Precautionary statements P101 If medical advice is needed, have product container or label at hand.

P273 Avoid release to the environment.

P280 Wear protective clothing, gloves, eye and face protection.

P301+P312 If swallowed: Call a poison center/ doctor if you feel unwell.

P302+P352 If on skin: Wash with plenty of water.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P405 Store locked up.

P501 Dispose of contents/ container in accordance with local regulations.

Contains DIETHANOLAMINE, 2,2'-OXYBISETHANOL, HYDROQUINONE, N-

carboxymethyliminobis(ethylenenitrilo)tetra(acetic acid)

Other hazards

No information available.

3. Composition/information on ingredients

Mixtures

DIETHANOLAMINE	10-30%	
CAS number: 111-42-2		
Classification		

Skin Irrit. 2 - H315 Eye Dam. 1 - H318 STOT RE 2 - H373 Aquatic Chronic 3 - H412

Acute Tox. 4 - H302

2,2'-OXYBISETHANOL 5-10%

CAS number: 111-46-6

Classification

Acute Tox. 4 - H302

HYDROQUINONE 5-10%

CAS number: 123-31-9 M factor (Acute) = 10

Classification

Acute Tox. 4 - H302 Eye Dam. 1 - H318 Skin Sens. 1 - H317 Muta. 2 - H341 Carc. 2 - H351

Aquatic Acute 1 - H400

N-carboxymethyliminobis(ethylenenitrilo)tetra(acetic acid)

1-5%

CAS number: 67-43-6

Classification

Acute Tox. 4 - H332 Eye Irrit. 2 - H319 Repr. 2 - H361d

1-Phenyl-4-methyl-3-pyrazolidone

<1%

CAS number: 2654-57-1

Classification

Acute Tox. 4 - H302 Skin Sens. 1 - H317 Aquatic Chronic 2 - H411

pentasodium <1%

(carboxylatomethyl)iminobis(ethylenenitrilo)tetraacetate

CAS number: 140-01-2

Classification

Acute Tox. 4 - H332 Repr. 2 - H361fd STOT RE 2 - H373

The full text for all hazard statements is displayed in Section 16.

4. First-aid measures

Description of first aid measures

Inhalation Move affected person to fresh air at once. Get medical attention if any discomfort continues.

Ingestion Rinse mouth thoroughly with water. Get medical attention if any discomfort continues.

Skin Contact Remove affected person from source of contamination. Remove contaminated clothing. Wash

skin thoroughly with soap and water. Get medical attention if irritation persists after washing.

Eye contact Remove affected person from source of contamination. Remove any contact lenses and open

eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if irritation

persists after washing.

Most important symptoms and effects, both acute and delayed

Inhalation No specific symptoms known.

Ingestion No specific symptoms known.

Skin contact May cause skin sensitisation.

Eye contact Irritation of eyes and mucous membranes. May cause serious eye damage.

Indication of immediate medical attention and special treatment needed

Notes for the doctor No specific recommendations.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media
Use fire-extinguishing media suitable for the surrounding fire.

Special hazards arising from the substance or mixture

Specific hazards Toxic gases or vapors. No unusual fire or explosion hazards noted.

Hazardous combustion Thermal decomposition or combustion products may include the following substances:

products Ammonia or amines. Oxides of sulfur. Oxides of carbon. Oxides of nitrogen.

Advice for firefighters

Protective actions during

firefighting

Avoid breathing fire gases or vapors.

Special protective equipment

for firefighters

Use protective equipment appropriate for surrounding materials. Selection of respiratory protection for fire fighting: follow the general fire precautions indicated in the workplace.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin and eyes. Provide adequate ventilation. For personal protection, see

Section 8.

Environmental precautions

Environmental precautions Do not discharge into drains or watercourses or onto the ground. Collect and dispose of

spillage as indicated in Section 13.

Methods and material for containment and cleaning up

Methods for cleaning up Wear protective clothing, gloves, eye and face protection. Small Spillages: Flush away

spillage with plenty of water. Large Spillages: Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or

runoff entering drains, sewers or watercourses.

Reference to other sections For personal protection, see Section 8. For waste disposal, see Section 13.

7. Handling and storage

Precautions for safe handling

Usage precautions Provide adequate ventilation. Avoid spilling. Avoid contact with skin and eyes. Do not eat,

drink or smoke when using this product. Read and follow manufacturer's recommendations.

Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container. Storage advice to ensure the product remains in a

useable condition throughout its specified shelf life: Store at temperatures above 0°C. Store at

temperatures not exceeding 30°C.

Storage class Chemical storage.

Specific end uses(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.

8. Exposure controls/Personal protection

Control parameters

Occupational exposure limits

DIETHANOLAMINE

Long-term exposure limit (8-hour TWA): ACGIH 0.2 ppm 1 mg/m³ inhalable fraction and vapor A3, Sk

HYDROQUINONE

Long-term exposure limit (8-hour TWA): OSHA 2 mg/m³ Long-term exposure limit (8-hour TWA): ACGIH 1 mg/m³

A3, DSens

ACGIH = American Conference of Governmental Industrial Hygienists.

OSHA = Occupational Safety and Health Administration.
A3 = Confirmed Animal Carcinogen with Unknown Relevance to Humans.

Sk = Danger of cutaneous absorption.

DSens = Dermal sensitizer.

Exposure controls

Protective equipment







Appropriate engineering

controls

Provide adequate ventilation. This product must not be handled in a confined space without adequate ventilation.

Eye/face protection Eyewear complying with an approved standard should be worn if a risk assessment indicates

eye contact is possible.

Hand protection Use protective gloves.

Other skin and body

protection

Wear suitable protective clothing as protection against splashing or contamination.

Respiratory protection If ventilation is inadequate, suitable respiratory protection must be worn.

9. Physical and chemical properties

Information on basic physical and chemical properties

Appearance Viscous liquid. Liquid.

Color Clear liquid. Colorless to pale yellow.

Odor No characteristic odor.

pH (concentrated solution): 9.4 pН

Initial boiling point and range >100°C @ 760 mm Hg

Relative density 1.161 @ 20°C

Solubility(ies) 100% Soluble in water.

Other information Not available. Revision date: 11/13/2019 Revision: 3 Supersedes date: 6/8/2018

Ilfotec LC29 Film Developer

10. Stability and reactivity

Reactivity The following materials may react with the product: Strong acids. Oxidizing agents.

Stable under the prescribed storage conditions. No particular stability concerns.

Possibility of hazardous

reactions

Under normal conditions of storage and use, no hazardous reactions will occur.

Conditions to avoid Avoid excessive heat for prolonged periods of time. Avoid contact with acids.

Materials to avoid Strong acids. Avoid contact with other photographic solutions and/or cleaning compounds.

Hazardous decomposition

products

Thermal decomposition or combustion products may include the following substances: Ammonia or amines. Sulfurous gases (SOx). Oxides of carbon. Oxides of nitrogen.

11. Toxicological information

Information on toxicological effects

Toxicological effects This chemical formulation has not been tested for health effects. Exposure effects listed are

based on existing health data for the individual components that comprise the mixture.

Acute toxicity - oral

ATE oral (mg/kg) 2,801.03

Acute toxicity - inhalation

ATE inhalation (gases ppm) 303,684.71

ATE inhalation (vapours mg/l) 742.34

ATE inhalation (dusts/mists

mg/l)

101.23

Germ cell mutagenicity

Genotoxicity - in vitro The product contains a substance that is classified as: Suspected of causing genetic defects.

Carcinogenicity

Carcinogenicity The product contains a substance that is classified as: Suspected of causing cancer.

Reproductive toxicity

Reproductive toxicity - development

The product contains a substance that is classified as: Suspected of damaging the unborn

child.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure The product contains a substance that is classified as: May cause damage to organs through

prolonged or repeated exposure.

Inhalation May cause respiratory system irritation.

Ingestion May cause discomfort if swallowed.

Skin Contact Irritating to skin. May cause sensitisation by skin contact. May cause allergic contact eczema.

Eye contact Irritation of eyes and mucous membranes. Repeated exposure may cause chronic eye

irritation.

Revision date: 11/13/2019 Revision: 3 Supersedes date: 6/8/2018

Ilfotec LC29 Film Developer

Acute and chronic health

Prolonged or repeated exposure may cause severe irritation. May cause skin

hazards

irritation/eczema. May cause sensitisation by skin contact. Irritating to eyes. Vapor or spray in the eyes may cause irritation and smarting. May cause allergy. May cause hypersensitivity.

Route of exposure Skin and/or eye contact Ingestion.

Medical considerations May aggravate existing: Skin disorders and allergies. Pre-existing eye problems.

Toxicological information on ingredients.

DIETHANOLAMINE

Acute toxicity - oral

Acute toxicity oral (LD50

mg/kg)

1,600.0

Species Rat

ATE oral (mg/kg) 1,600.0

Carcinogenicity

IARC carcinogenicity IARC Group 2B Possibly carcinogenic to humans.

2,2'-OXYBISETHANOL

Acute toxicity - oral

Acute toxicity oral (LD50

mg/kg)

1,000.0

Species Human

ATE oral (mg/kg) 1,000.0

HYDROQUINONE

Acute toxicity - oral

Acute toxicity oral (LD₅o

mg/kg)

375.0

Species Rat

ATE oral (mg/kg) 375.0

Carcinogenicity

IARC Group 3 Not classifiable as to its carcinogenicity to humans.

12. Ecological information

Toxicity The product contains a substance which is very toxic to aquatic organisms.

Ecological information on ingredients.

DIETHANOLAMINE

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 96 hours: >100 mg/L (Fathead Minnow) mg/l, Fish

2,2'-OXYBISETHANOL

Acute aquatic toxicity

Revision date: 11/13/2019 Revision: 3 Supersedes date: 6/8/2018

Ilfotec LC29 Film Developer

Acute toxicity - fish LC₅₀, 96 hours: >100 mg/l, Fish

Acute toxicity - aquatic

invertebrates

EC₅₀, 48 hours: 0.3 - 1 mg/l, Daphnia magna

HYDROQUINONE

Acute aquatic toxicity

LE(C)₅₀ $0.01 < L(E)C50 \le 0.1$

M factor (Acute) 10

Acute toxicity - fish LC₅₀, 96 hours: 0.10-0.18 (Fathead Minnow) mg/l, Fish

Acute toxicity - aquatic

invertebrates

EC₅₀, 48 hours: 0.05 mg/l, Daphnia magna

Acute toxicity - aquatic

plants

IC₅₀, 72 hours: 1.0 mg/l, Algae

Persistence and degradability

Persistence and degradability There are no data on the degradability of this product.

Bioaccumulative potential

Bio-Accumulative Potential No data available on bioaccumulation.

Mobility in soil

Mobility The product is soluble in water.

Other adverse effects

Other adverse effects None known.

13. Disposal considerations

Waste treatment methods

Disposal methods

Used, diluted, and spent solutions may be allowed to be discharged to sanitary sewer by permit IF allowed by local regulations. Consult your local authority for advice. Waste may have to be pre-treated before discharge. Consult local authorities before discharging any waste to sewer. Do not discharge to septic system. Waste that cannot be discharged to sewer may have to handled by a licensed hazardous waste contractor.

14. Transport information

General Exceptions relating to marine pollutants in small packages apply to this product, so that it is

not required to be labelled or transported in accordance with dangerous goods regulations.

See 49CFR 171.4 (c), IATA SP A197, and IMDG 2.10.2.7.

UN Number

UN No. (TDG) 3082

UN No. (IMDG) 3082

UN No. (ICAO) 3082

UN No. (DOT) UN3082

UN proper shipping name

Proper shipping name (TDG) UN3082, Environmentally hazardous substance, liquid, n.o.s. (contains hydroquinone).

Proper shipping name (IMDG) UN3082, Environmentally hazardous substance, liquid, n.o.s. (contains hydroquinone).

Proper shipping name (ICAO) UN3082, Environmentally hazardous substance, liquid, n.o.s. (contains hydroquinone).

Proper shipping name (DOT) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS

HYDROQUINONE, 1-Phenyl-4-methyl-3-pyrazolidone)

Transport hazard class(es)

DOT hazard class 9

DOT hazard label 9

TDG class 9 (M6)

TDG label(s) 9

IMDG Class 9

ICAO class/division 9

Transport labels



DOT transport labels



Packing group

TDG Packing Group

IMDG packing group

ICAO packing group

DOT packing group

Environmental hazards

Environmentally Hazardous Substance



Special precautions for user

EmS F-A, S-F

DOT reportable quantity RQ: Diethanolamine (535.1256 lbs), RQ: Hydroquinone (1718.0359 lbs)

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

15. Regulatory information

US State Regulations

State Regulations Comments No information available.

Inventories

US - TSCA

2-(methylamino)ethanol, compound with sulphur dioxide

Sodium Sulfate

pentasodium (carboxylatomethyl)iminobis(ethylenenitrilo)tetraacetate

N-carboxymethyliminobis(ethylenenitrilo)tetra(acetic acid)

Sodium Bromide

Water

DIETHANOLAMINE

2.2'-OXYBISETHANOL

HYDROQUINONE

1-Phenyl-4-methyl-3-pyrazolidone

16. Other information

General information

HARMAN technology Ltd believe the information and recommendations contained herein are based on correct and factual data. However, no express or implied guarantee or warranty of any kind is made with respect to this information. Use this information only to supplement other information you have gathered and then make an independent determination about the completeness and suitability of all information to ensure the proper use and disposal of this product and the health and safety of employees and customers.

Key literature references and sources for data

European Photographic Chemical Industry Code of Practice For Classification And Labelling Material Safety Data Sheet, Misc. manufacturers. Dangerous Properties of Industrial Chemicals, 6.edition, N.Sax, 1984.

Issued by SHE.Team@harmantechnology.com

Revision date 11/13/2019

Revision 3

Supersedes date 6/8/2018

Hazard statements in full

H302 Harmful if swallowed.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage. H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H341 Suspected of causing genetic defects.

H351 Suspected of causing cancer.

H361d Suspected of damaging the unborn child.

H361fd Suspected of damaging fertility. Suspected of damaging the unborn child. H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.