

ILFORD PHOTO

HARMAN technology Ltd

SAFETY DATA SHEET

Ilfotec RT Rapid Film Developer/ Replenisher (Part A)

According to Appendix D, OSHA Hazard Communication Standard 29 CFR §1910.1200

1. Identification

Product identifier

| | |
|-------------------------|---|
| Product name | Ilfotec RT Rapid Film Developer/ Replenisher (Part A) |
| Product number | 1878176 |
| Internal identification | 10029 |
| Container size | 5 Liter |

Recommended use of the chemical and restrictions on use

| | |
|-------------|--------------------|
| Application | Developer Solution |
|-------------|--------------------|

Details of the supplier of the safety data sheet

| | |
|----------|--|
| Supplier | Distributor USA: Robert Distributors, 220 East Saint Clair St, Indianapolis, IN 46204 Tel:877-281-6405 |
|----------|--|

| | |
|----------------|--|
| Contact Person | Contact Distributor: sales@robertsdistributors.com |
|----------------|--|

Emergency telephone number

| | |
|---------------------|--|
| Emergency telephone | USA/Canada: For medical emergency, call 1 800 842 9660 (Product Misuse). |
|---------------------|--|

2. Hazard(s) identification

Classification of the substance or mixture

| | |
|-----------------------|---|
| Physical hazards | Not Classified |
| Health hazards | Eye Irrit. 2A - H319 Skin Sens. 1 - H317 Muta. 2 - H341 Carc. 2 - H351 Repr. 2 - H361fd |
| Environmental hazards | Not Classified |

Label elements

Pictogram



| | |
|-------------|---------|
| Signal word | Warning |
|-------------|---------|

| | |
|-------------------|--|
| Hazard statements | H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H341 Suspected of causing genetic defects. H351 Suspected of causing cancer. H361fd Suspected of damaging fertility. Suspected of damaging the unborn child. |
|-------------------|--|

Ilfotec RT Rapid Film Developer/ Replenisher (Part A)

| | |
|---------------------------------|--|
| Precautionary statements | <p>P272 Contaminated work clothing must not be allowed out of the workplace.</p> <p>P302+P352 If on skin: Wash with plenty of water.</p> <p>P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p> <p>P405 Store locked up.</p> <p>P280 Wear protective clothing, gloves, eye and face protection.</p> <p>P501 Dispose of contents/ container in accordance with local regulations.</p> |
| Contains | <p>HYDROQUINONE, pentasodium (carboxylatomethyl)iminobis(ethylenenitrilo)tetraacetate, 1-Phenyl-4-methyl-4-hydroxymethyl-3-pyrazolidone</p> |

Other hazards

No information available.

3. Composition/information on ingredients

Mixtures

| | |
|--|------------------|
| Potassium Sulphite CAS number: 10117-38-1 | 10-30% |
| Classification Not Classified | |
| Potassium Carbonate CAS number: 584-08-7 | 5-10% |
| Classification Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 STOT SE 3 - H335 | |
| SODIUM CARBONATE CAS number: 497-19-8 | 5-10% |
| Classification Eye Irrit. 2A - H319 | |
| HYDROQUINONE CAS number: 123-31-9 M factor (Acute) = 10 | < 2.5% |
| Classification Acute Tox. 4 - H302 Eye Dam. 1 - H318 Skin Sens. 1 - H317 Muta. 2 - H341 Carc. 2 - H351 Aquatic Acute 1 - H400 | |

Ilfotec RT Rapid Film Developer/ Replenisher (Part A)

| | |
|---|---------------|
| pentasodium (carboxylatomethyl)iminobis(ethylenenitrilo)tetraacetate CAS number: 140-01-2 | <1% |
| Classification Acute Tox. 4 - H332 Repr. 2 - H361fd STOT RE 2 - H373 | |
| SODIUM HYDROXIDE CAS number: 1310-73-2 | <1% |
| Classification Skin Corr. 1A - H314 Eye Dam. 1 - H318 | |
| 1-Phenyl-4-methyl-4-hydroxymethyl-3-pyrazolidone CAS number: 13047-13-7 | <1% |
| Classification Acute Tox. 4 - H302 Skin Sens. 1 - H317 Aquatic Chronic 2 - H411 | |

The full text for all hazard statements is displayed in Section 16.

4. First-aid measures

Description of first aid measures

| | |
|---------------------|---|
| Inhalation | Move affected person to fresh air at once. Get medical attention if any discomfort continues. |
| Ingestion | Rinse mouth thoroughly with water. Get medical attention if any discomfort continues. |
| Skin Contact | Remove affected person from source of contamination. Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention if irritation persists after washing. |
| Eye contact | Remove affected person from source of contamination. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Continue to rinse for at least 15 minutes. Get medical attention if irritation persists after washing. |

Most important symptoms and effects, both acute and delayed

| | |
|---------------------|--|
| Inhalation | No specific symptoms known. |
| Ingestion | No specific symptoms known. |
| Skin contact | May cause sensitisation by skin contact. |
| Eye contact | Irritation of eyes and mucous membranes. |

Indication of immediate medical attention and special treatment needed

| | |
|-----------------------------|------------------------------|
| Notes for the doctor | No specific recommendations. |
|-----------------------------|------------------------------|

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media The product is non-combustible. Use extinguishing media appropriate for surrounding fire.

Ilfotec RT Rapid Film Developer/ Replenisher (Part A)

Special hazards arising from the substance or mixture

| | |
|--|--|
| Specific hazards | The product is non-combustible. No unusual fire or explosion hazards noted. |
| Hazardous combustion products | Thermal decomposition or combustion products may include the following substances: Oxides of: Carbon. Sulfur. Nitrogen. Sodium. Potassium. |
| <u>Advice for firefighters</u> | |
| Protective actions during firefighting | Avoid breathing fire gases or vapors. |
| Special protective equipment for firefighters | Use protective equipment appropriate for surrounding materials. Selection of respiratory protection for fire fighting: follow the general fire precautions indicated in the workplace. |

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

| | |
|-----------------------------|---|
| Personal precautions | Avoid contact with skin and eyes. Provide adequate ventilation. For personal protection, see Section 8. |
|-----------------------------|---|

Environmental precautions

| | |
|----------------------------------|--|
| Environmental precautions | Do not discharge into drains or watercourses or onto the ground. Collect and dispose of spillage as indicated in Section 13. |
|----------------------------------|--|

Methods and material for containment and cleaning up

| | |
|--------------------------------|--|
| Methods for cleaning up | Wear protective clothing, gloves, eye and face protection. Small Spillages: Flush away spillage with plenty of water. Large Spillages: Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses. |
|--------------------------------|--|

| | |
|------------------------------------|---|
| Reference to other sections | For personal protection, see Section 8. For waste disposal, see Section 13. |
|------------------------------------|---|

7. Handling and storage

Precautions for safe handling

| | |
|--------------------------|---|
| Usage precautions | Provide adequate ventilation. Avoid spilling. Avoid contact with skin and eyes. Do not eat, drink or smoke when using this product. Read and follow manufacturer's recommendations. |
|--------------------------|---|

Conditions for safe storage, including any incompatibilities

| | |
|----------------------------|--|
| Storage precautions | Store in tightly-closed, original container. Storage advice to ensure the product remains in a useable condition throughout its specified shelf life: Store at temperatures above 0°C. Store at temperatures not exceeding 30°C. |
|----------------------------|--|

| | |
|----------------------|-------------------|
| Storage class | Chemical storage. |
|----------------------|-------------------|

Specific end uses(s)

| | |
|----------------------------|---|
| Specific end use(s) | The identified uses for this product are detailed in Section 1. |
|----------------------------|---|

8. Exposure Controls/personal protection

Control parameters

Occupational exposure limits

HYDROQUINONE

Long-term exposure limit (8-hour TWA): OSHA 2 mg/m³

Long-term exposure limit (8-hour TWA): ACGIH 1 mg/m³

A3, DSens

Ilfotec RT Rapid Film Developer/ Replenisher (Part A)

SODIUM HYDROXIDE

Ceiling exposure limit: ACGIH 2 mg/m³

Long-term exposure limit (8-hour TWA): OSHA 2 mg/m³

OSHA = Occupational Safety and Health Administration.

ACGIH = American Conference of Governmental Industrial Hygienists.

A3 = Confirmed Animal Carcinogen with Unknown Relevance to Humans.

DSens = Dermal sensitizer.

Exposure controls

Protective equipment



Appropriate engineering controls

Provide adequate ventilation. This product must not be handled in a confined space without adequate ventilation.

Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible.

Hand protection

Use protective gloves.

Other skin and body protection

Wear suitable protective clothing as protection against splashing or contamination.

Respiratory protection

If ventilation is inadequate, suitable respiratory protection must be worn.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

| | |
|---------------------------------|----------------------------------|
| Appearance | Clear liquid. |
| Color | Colorless to pale yellow. |
| Odor | No characteristic odor. |
| pH | pH (concentrated solution): 12.9 |
| Initial boiling point and range | >100°C @ 760 mm Hg |
| Relative density | 1.25 @ 20°C |
| Solubility(ies) | Soluble in water. |
| Other information | Not available. |

10. Stability and reactivity

| | |
|------------------------------------|--|
| Reactivity | See the other subsections of this section for further details. |
| Stability | Stable under the prescribed storage conditions. No particular stability concerns. |
| Possibility of hazardous reactions | Under normal conditions of storage and use, no hazardous reactions will occur. |
| Conditions to avoid | Avoid excessive heat for prolonged periods of time. Avoid contact with acids. |
| Materials to avoid | Strong acids. Avoid contact with other photographic solutions and/or cleaning compounds. |

Ilfotec RT Rapid Film Developer/ Replenisher (Part A)

Hazardous decomposition products Thermal decomposition or combustion products may include the following substances: Oxides of: Carbon. Sulfur. Nitrogen. Potassium. Sodium.

11. Toxicological information

Information on toxicological effects

Toxicological effects This chemical formulation has not been tested for health effects. Exposure effects listed are based on existing health data for the individual components that comprise the mixture.

Acute toxicity - oral

ATE oral (mg/kg) 18,143.99

Germ cell mutagenicity

Genotoxicity - in vitro The product contains a substance that is classified as: Suspected of causing genetic defects.

Carcinogenicity

Carcinogenicity The product contains a substance that is classified as: Suspected of causing cancer.

Reproductive toxicity

Reproductive toxicity - development The product contains a substance that is classified as: Suspected of damaging fertility or the unborn child.

Inhalation May cause respiratory system irritation.

Ingestion May cause discomfort if swallowed.

Skin Contact Irritating to skin. May cause sensitisation by skin contact. May cause allergic contact eczema.

Eye contact Irritation of eyes and mucous membranes. Repeated exposure may cause chronic eye irritation.

Acute and chronic health hazards Prolonged or repeated exposure may cause severe irritation. May cause skin irritation/eczema. May cause sensitisation by skin contact. Irritating to eyes. Vapor or spray in the eyes may cause irritation and smarting. May cause allergy. May cause hypersensitivity.

Route of exposure Skin and/or eye contact Ingestion.

Medical considerations May aggravate existing: Skin disorders and allergies. Pre-existing eye problems.

Toxicological information on ingredients.

HYDROQUINONE

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 375.0

Species Rat

ATE oral (mg/kg) 375.0

Carcinogenicity

IARC carcinogenicity IARC Group 3 Not classifiable as to its carcinogenicity to humans.

pentasodium (carboxylatomethyl)iminobis(ethylenenitrilo)tetraacetate

Acute toxicity - inhalation

ATE inhalation (gases ppm) 4,500.0

Ilfotec RT Rapid Film Developer/ Replenisher (Part A)

ATE inhalation (vapours mg/l) 11.0

ATE inhalation (dusts/mists mg/l) 1.5

1-Phenyl-4-methyl-4-hydroxymethyl-3-pyrazolidone

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 566.0

Species Rat

ATE oral (mg/kg) 566.0

12. Ecological Information

Toxicity The product contains a substance which is very toxic to aquatic organisms.

Ecological information on ingredients.

SODIUM CARBONATE

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 96 hours: 320 (Bluegill) mg/l, Fish

HYDROQUINONE

Acute aquatic toxicity

LE(C)₅₀ 0.01 < L(E)C50 ≤ 0.1

M factor (Acute) 10

Acute toxicity - fish LC₅₀, 96 hours: 0.10-0.18 (Fathead Minnow) mg/l, Fish

Acute toxicity - aquatic invertebrates EC₅₀, 48 hours: 0.05 mg/l, Daphnia magna

Acute toxicity - aquatic plants IC₅₀, 72 hours: 1.0 mg/l, Algae

pentasodium (carboxylatomethyl)iminobis(ethylenenitrilo)tetraacetate

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 96 hours: >1000 (Iepomis macrochirus) mg/l, Fish

Acute toxicity - aquatic invertebrates EC₅₀, 48 hours: >500 (daphnia magna) mg/l, Daphnia magna

1-Phenyl-4-methyl-4-hydroxymethyl-3-pyrazolidone

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 96 hours: 32 (Rainbow Trout) mg/l, Fish

Acute toxicity - aquatic invertebrates EC₅₀, 48 hours: 1.7 mg/l, Daphnia magna

Persistence and degradability

Ilfotec RT Rapid Film Developer/ Replenisher (Part A)

Persistence and degradability There are no data on the degradability of this product.

Bioaccumulative potential

Bio-Accumulative Potential No data available on bioaccumulation.

Mobility in soil

Mobility The product is soluble in water.

Other adverse effects

Other adverse effects None known.

13. Disposal considerations

Waste treatment methods

Disposal methods Used, diluted, and spent solutions may be allowed to be discharged to sanitary sewer by permit IF allowed by local regulations. Consult your local authority for advice. Waste may have to be pre-treated before discharge. Consult local authorities before discharging any waste to sewer. Do not discharge to septic system. Waste that cannot be discharged to sewer may have to be handled by a licensed hazardous waste contractor.

14. Transport information

General The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, DOT).

Road transport notes Not classified for road transport

Rail transport notes Not classified for rail transport

Sea transport notes Not classified for sea transport

Air transport notes Not classified for air transport

UN Number

Not applicable.

UN proper shipping name

Not applicable.

Transport hazard class(es)

Not applicable.

Transport labels

No transport warning sign required.

DOT transport labels

No transport warning sign required.

Packing group

Not applicable.

Environmental hazards

Environmentally Hazardous Substance

No.

Special precautions for user

Not applicable.

Ilfotec RT Rapid Film Developer/ Replenisher (Part A)

DOT TIH Zone Not applicable.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

15. Regulatory information**US State Regulations**

State Regulations Comments No information available.

Inventories**US - TSCA**

Water

Potassium Sulphite

Potassium Carbonate

SODIUM CARBONATE

HYDROQUINONE

pentasodium (carboxylatomethyl)iminobis(ethylenenitrilo)tetraacetate

SODIUM HYDROXIDE

1-Phenyl-4-methyl-4-hydroxymethyl-3-pyrazolidone

16. Other information

General information HARMAN technology Ltd believe the information and recommendations contained herein are based on correct and factual data. However, no express or implied guarantee or warranty of any kind is made with respect to this information. Use this information only to supplement other information you have gathered and then make an independent determination about the completeness and suitability of all information to ensure the proper use and disposal of this product and the health and safety of employees and customers.

Key literature references and sources for data Material Safety Data Sheet, Misc. manufacturers. European Photographic Chemical Industry Code of Practice For Classification And Labelling Dangerous Properties of Industrial Chemicals, 6.edition, N.Sax, 1984.

Issued by SHE.Team@harmantechnology.com

Revision date 8/21/2018

Revision 2

Supersedes date 14/05/2015

Ilfotec RT Rapid Film Developer/ Replenisher (Part A)

Hazard statements in full

H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H332 Harmful if inhaled.
H335 May cause respiratory irritation.
H341 Suspected of causing genetic defects.
H351 Suspected of causing cancer.
H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.
H373 May cause damage to organs through prolonged or repeated exposure.
H400 Very toxic to aquatic life.
H411 Toxic to aquatic life with long lasting effects.