

ILFORD PHOTO

HARMAN technology Ltd

SAFETY DATA SHEET

Microphen Developer (Part A)

According to WHMIS 2015, in compliance with the Hazardous Product Act (HPA, as amended) and the requirements of the Hazardous Product Regulations (HPR)

1. Identification

Product identifier

Product name	Microphen Developer (Part A)
Product number	1173875
Internal identification	10125
Container size	25g

Recommended use of the chemical and restrictions on use

Restriction on use	Photographic Developer
--------------------	------------------------

Details of the supplier of the safety data sheet

Supplier	Distributor Amplis Foto Inc, 22 Telson Road, Markham, Ontario L3R 1E5 Tel: 905 477 4111 Fax: 905 477 2502
Contact person	Contact Distributor: christine@amplis.com, http://www.amplis.com

Emergency telephone number

Emergency telephone	Canada/USA: For medical emergency, call 1 800 842 9660 (Product Misuse).
---------------------	--

2. Hazard identification

Classification of the substance or mixture

Physical hazards	Not Classified
Health hazards	Acute Tox. 4 - H302 Eye Dam. 1 - H318 Skin Sens. 1 - H317 Muta. 2 - H341 Carc. 2 - H351 Repr. 1B - H360FD
Environmental hazards	Aquatic Acute 1 - H400

Label elements

Hazard pictograms



Signal word

Danger

Microphen Developer (Part A)

Hazard statements	<p>H302 Harmful if swallowed.</p> <p>H317 May cause an allergic skin reaction.</p> <p>H318 Causes serious eye damage.</p> <p>H341 Suspected of causing genetic defects.</p> <p>H351 Suspected of causing cancer.</p> <p>H360FD May damage fertility. May damage the unborn child.</p> <p>H400 Very toxic to aquatic life.</p>
Precautionary statements	<p>P273 Avoid release to the environment.</p> <p>P301+P312 IF SWALLOWED: Call a POISON CENTRE/doctor if you feel unwell.</p> <p>P302+P352 IF ON SKIN: Wash with plenty of water.</p> <p>P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p> <p>P308+P313 IF exposed or concerned: Get medical advice/ attention.</p> <p>P405 Store locked up.</p> <p>P101 If medical advice is needed, have product container or label at hand.</p> <p>P280 Wear protective clothing, gloves, eye and face protection.</p> <p>P501 Dispose of contents/ container in accordance with local regulations.</p>
Supplemental label information	Contact with acids liberates toxic gas
Contains	HYDROQUINONE, SODIUM METABISULPHITE, Boric Acid, 1-PHENYL-3-PYRAZOLIDONE
Other hazards	No information available.

3. Composition/information on ingredients

Mixtures

HYDROQUINONE 60-100% CAS number: 123-31-9 M factor (acute) = 10
Classification Acute Tox. 4 - H302 Eye Dam. 1 - H318 Skin Sens. 1 - H317 Muta. 2 - H341 Carc. 2 - H351 Aquatic Acute 1 - H400
SODIUM METABISULPHITE 30-40% CAS number: 7681-57-4
Classification Acute Tox. 4 - H302 Eye Dam. 1 - H318

Microphen Developer (Part A)

Boric Acid	1-5%
CAS number: 10043-35-3	
Classification	
Repr. 1B - H360FD	
1-PHENYL-3-PYRAZOLIDONE	1-5%
CAS number: 92-43-3	
Classification	
Acute Tox. 4 - H302	
Aquatic Chronic 2 - H411	

The full text for all hazard statements is displayed in Section 16.

4. First-aid measures

Description of first aid measures

Inhalation	Move affected person to fresh air at once. Get medical attention if any discomfort continues.
Ingestion	Rinse mouth thoroughly with water. Get medical attention if any discomfort continues.
Skin contact	Remove affected person from source of contamination. Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention if irritation persists after washing.
Eye contact	Remove affected person from source of contamination. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if irritation persists after washing.

Most important symptoms and effects, both acute and delayed

Inhalation	No specific symptoms known.
Ingestion	No specific symptoms known.
Skin contact	May cause sensitization by skin contact.
Eye contact	Irritation of eyes and mucous membranes. May cause serious eye damage.

Indication of any immediate medical attention and special treatment needed

Notes for the doctor	No specific recommendations.
-----------------------------	------------------------------

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media	Use fire-extinguishing media suitable for the surrounding fire.
-------------------------------------	---

Specific hazards arising from the hazardous product

Specific hazards	No unusual fire or explosion hazards noted.
Hazardous combustion products	Thermal decomposition or combustion products may include the following substances: Oxides of the following substances: Carbon. Sulfur. Nitrogen.

Advice for firefighters

Protective actions during firefighting	Avoid breathing fire gases or vapours.
Special protective equipment for firefighters	Use protective equipment appropriate for surrounding materials. Selection of respiratory protection for fire fighting: follow the general fire precautions indicated in the workplace.

Microphen Developer (Part A)

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin and eyes. Avoid inhalation of dust. Provide adequate ventilation.

Environmental precautions

Environmental precautions Do not discharge into drains or watercourses or onto the ground.

Methods and material for containment and cleaning up

Methods for cleaning up Wear protective clothing, gloves, eye and face protection. Remove spillage with vacuum cleaner or collect with a shovel and broom, or similar. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses.

Reference to other sections

Reference to other sections For personal protection, see Section 8. For waste disposal, see section 13.

7. Handling and storage

Precautions for safe handling

Usage precautions Avoid contact with skin and eyes. Do not eat, drink or smoke when using this product. Do not breathe dust. Provide adequate ventilation. Avoid spilling. Read and follow manufacturer's recommendations.

Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container. Storage advice to ensure the product remains in a useable condition throughout its specified shelf life: Store at temperatures not exceeding 30°C.

Storage class Chemical storage.

Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.

8. Exposure controls/Personal protection

Control parameters

Occupational exposure limits

HYDROQUINONE

Long-term exposure limit (8-hour TWA): ACGIH 1 mg/m³

A3, DSens

SODIUM METABISULPHITE

Long-term exposure limit (8-hour TWA): ACGIH 5 mg/m³

A4

Boric Acid

Long-term exposure limit (8-hour TWA): ACGIH 2 mg/m³ inhalable fraction

Short-term exposure limit (15-minute): ACGIH 6 mg/m³ inhalable fraction

A4

ACGIH = American Conference of Governmental Industrial Hygienists.

A3 = Confirmed Animal Carcinogen with Unknown Relevance to Humans.

A4 = Not Classifiable as a Human Carcinogen.

DSens = Dermal sensitizer.

Exposure controls

Microphen Developer (Part A)

Protective equipment



Appropriate engineering controls

Provide adequate general and local exhaust ventilation.

Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible.

Hand protection

Use protective gloves.

Other skin and body protection

Wear appropriate clothing to prevent skin contamination.

Respiratory protection

If ventilation is inadequate, suitable respiratory protection must be worn.

9. Physical and chemical properties

Information on basic physical and chemical properties

Appearance	Crystals. Dusty powder.
Colour	White/off-white. Cream. Brown.
Odour	No characteristic odour.
pH	pH (concentrated solution): 5.8
Solubility(ies)	Soluble in water. 100%
Other information	Not available.

10. Stability and reactivity

Reactivity	The reactivity data for this product will be typical of those for the following class of materials: Reducing agents. Generates toxic gas in contact with acid. (Sulfur dioxide.)
Stability	Stable under the prescribed storage conditions. No particular stability concerns.
Possibility of hazardous reactions	Under normal conditions of storage and use, no hazardous reactions will occur.
Conditions to avoid	Avoid excessive heat for prolonged periods of time.
Materials to avoid	Strong acids. Avoid contact with other photographic solutions and/or cleaning compounds.
Hazardous decomposition products	Thermal decomposition or combustion products may include the following substances: Oxides of the following substances: Carbon. Nitrogen. Sulfur.

11. Toxicological information

Information on toxicological effects

Toxicological effects This chemical formulation has not been tested for health effects. Exposure effects listed are based on existing health data for the individual components that comprise the mixture.

Acute toxicity - oral

ATE oral (mg/kg) 523.3

Germ cell mutagenicity

Microphen Developer (Part A)

Genotoxicity - in vitro	The product contains a substance that is classified as: Suspected of causing genetic defects.
<u>Carcinogenicity</u>	
Carcinogenicity	The product contains a substance that is classified as: Suspected of causing cancer.
<u>Reproductive toxicity</u>	
Reproductive toxicity - fertility	The product contains a substance that is classified as: May damage fertility or the unborn child.
Reproductive toxicity - development	The product contains a substance that is classified as: May damage fertility or the unborn child.
Inhalation	Dust may irritate the respiratory system.
Ingestion	Harmful if swallowed. May cause discomfort if swallowed.
Skin contact	Powder may irritate skin. May cause sensitization by skin contact. May cause allergic contact eczema.
Eye contact	Irritation of eyes and mucous membranes. Repeated exposure may cause chronic eye irritation. May cause serious eye damage.
Acute and chronic health hazards	Prolonged or repeated exposure may cause severe irritation. May cause skin irritation/eczema. May cause sensitization by skin contact. Dust may irritate the respiratory system. May cause allergy. May cause hypersensitivity.
Route of exposure	Inhalation Ingestion. Skin and/or eye contact
Medical considerations	May aggravate existing: Skin disorders and allergies. Pre-existing eye problems.

Toxicological information on ingredients

HYDROQUINONE

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 375.0

Species Rat

ATE oral (mg/kg) 375.0

Carcinogenicity

IARC carcinogenicity IARC Group 3 Not classifiable as to its carcinogenicity to humans.

SODIUM METABISULPHITE

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 1,540.0

Species Rat

ATE oral (mg/kg) 1,540.0

1-PHENYL-3-PYRAZOLIDONE

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 475.0

Microphen Developer (Part A)

Species	Rat
ATE oral (mg/kg)	475.0

12. Ecological information

Toxicity The product contains a substance which is very toxic to aquatic organisms.

Ecological information on ingredients

HYDROQUINONE

Acute aquatic toxicity

LC₅₀/EC₅₀	0.01 < L(E)C ₅₀ ≤ 0.1
M factor (acute)	10
Acute toxicity - fish	LC ₅₀ , 96 hours: 0.10-0.18 (Fathead Minnow) mg/l, Fish
Acute toxicity - aquatic invertebrates	EC ₅₀ , 48 hours: 0.05 mg/l, Daphnia magna
Acute toxicity - aquatic plants	IC ₅₀ , 72 hours: 1.0 mg/l, Algae

SODIUM METABISULPHITE

Acute aquatic toxicity

Acute toxicity - fish	LC ₅₀ , 96 hours: >150 mg/l, Fish
Acute toxicity - aquatic invertebrates	EC ₅₀ , 48 hours: 89 mg/l, Daphnia magna
Acute toxicity - aquatic plants	IC ₅₀ , 72 hours: 48 mg/l, Algae

Boric Acid

Acute aquatic toxicity

Acute toxicity - fish	LC ₅₀ , 96 hours: 600 mg/l, Fish
Acute toxicity - aquatic invertebrates	EC ₅₀ , 48 hours: 115-153 mg/l, Daphnia magna

1-PHENYL-3-PYRAZOLIDONE

Acute aquatic toxicity

Acute toxicity - fish	LC ₅₀ , 96 hours: >1 mg/l, Fish
------------------------------	--

Persistence and degradability

Persistence and degradability There are no data on the degradability of this product.

Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

Mobility in soil

Mobility The product is soluble in water.

Other adverse effects

Microphen Developer (Part A)

Other adverse effects None known.

13. Disposal considerations

Waste treatment methods

Disposal methods Used, diluted, and spent solutions may be allowed to be discharged to sanitary sewer by permit IF allowed by local regulations. Consult your local authority for advice. Waste may have to be pre-treated before discharge. Consult local authorities before discharging any waste to sewer. Do not discharge to septic system. Waste that cannot be discharged to sewer may have to be handled by a licensed hazardous waste contractor.

14. Transport information

General A marine pollutant exception applies to this product, so that no labeling or placarding is required for transportation by land in Canada under SOR / 2008-34. Other marine pollutant exceptions also apply, so it is not required to be labeled or transported as hazardous goods in the United States or abroad. See 49CFR 171.4 (c), IATA SP A197 and IMDG 2.10.2.7.

UN number

UN No. (TDG)	3077
UN No. (IMDG)	3077
UN No. (ICAO)	3077
UN No. (DOT)	UN3077

UN proper shipping name

Proper shipping name (TDG) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS HYDROQUINONE, 1-PHENYL-3-PYRAZOLIDONE)

Proper shipping name (IMDG) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS HYDROQUINONE, 1-PHENYL-3-PYRAZOLIDONE)


Proper shipping name (ICAO) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS HYDROQUINONE, 1-PHENYL-3-PYRAZOLIDONE)

Proper shipping name (DOT) ENVIRONMENTALLY HAZARDOUS SUBSTANCES, SOLID, N.O.S. (CONTAINS HYDROQUINONE, 1-PHENYL-3-PYRAZOLIDONE)

Transport hazard class(es)

DOT class	9
DOT hazard label	9
TDG class	9
TDG label(s)	9
IMDG class	9
ICAO class/division	9

Transport labels



Microphen Developer (Part A)

DOT transport label



Packing group

TDG packing group	III
IMDG packing group	III
ICAO packing group	III
DOT packing group	III

Environmental hazards

Environmentally hazardous substance/marine pollutant



Special precautions for user

EmS	F-A, S-F
DOT reportable quantity	RQ: Hydroquinone (160.4004 lbs)

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

15. Regulatory information

Inventories

Canada – DSL/NDSL

HYDROQUINONE

SODIUM METABISULPHITE

Boric Acid

1-PHENYL-3-PYRAZOLIDONE

16. Other information

General information

HARMAN technology Ltd believe the information and recommendations contained herein are based on correct and factual data. However, no express or implied guarantee or warranty of any kind is made with respect to this information. Use this information only to supplement other information you have gathered and then make an independent determination about the completeness and suitability of all information to ensure the proper use and disposal of this product and the health and safety of employees and customers.

Key literature references and sources for data

European Photographic Chemical Industry Code of Practice For Classification And Labelling Material Safety Data Sheet, Misc. manufacturers. Dangerous Properties of Industrial Chemicals, 6.edition, N.Sax, 1984.

Issued by

Mr James Cooper, HARMAN Technology Ltd, Mobberley, Knutsford, Cheshire, WA16 7GB, ENGLAND, United Kingdom, Tel.: +44(0)1565 650000 email: james.cooper@harmantechnology.com

Microphen Developer (Part A)

Revision date	2022-09-16
Revision	4
Supersedes date	2021-01-12
Hazard statements in full	H302 Harmful if swallowed. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H341 Suspected of causing genetic defects. H351 Suspected of causing cancer. H360FD May damage fertility. May damage the unborn child. H400 Very toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects.